Section: Approval:	Divisio	Division of Nursing							Date: ved Date:	8620.902a 1 of 2 June 3, 1991 April 15, 2005	
		HACKETTSTOWN REGIONAL MEDICAL CENTER									
Donna Reviewed by: S. Blak M. Dav		onna k . Blake 1. Davis									
TITLE:	PEDIA	PEDIATRIC CUTDOWN									
PURPOSE:			То	outline the	e steps for as	sisting in P	ediatric Cutdov	wn.			
SUPPORTIVE DATA: 1.			Must be performed by a physician. 2. Obtain weight before starting IV 3. Explain procedure to parents and obtain consent.								
EQUIPMENT LIST:			2. 3. 4. 5. 6. 7. 8. 9.	Refer to specific doctors cardex for more specific information (Kept at nurses station) IV Solution Appropriate IV Tubing Sterile Gloves Betadine Solution Tape Clear Dressing							
CONTENT:			PR	OCEDUR	E STEPS			<u>KE</u>	Y POINTS	<u>S</u>	
			1.	Check d	octor's order						
			2.	Identify	child using 2	identifiers.					
			3.		eutdown tray o echnique.	on bedside	table using				
			4.	Open st	erile gloves a	nd place at	bedside.				
			5.	Open su cutdown		ades and dr	op onto sterile				
			6.	Pour Be	tadine solutio	on into a sm	all metal cup.				
			7.	Open cu	ıtdown cathe	ter or angio	cath.	Ph	ysician wil	I specify size and type.	
			8.	Have are		ape ready.	Purge IV tubin	ng			
			9.	 Position child as instructed by physician. Hold securely without allowing movement or place in circumboard. 							

10. After catheter is inserted by physician, attach IV tubing to end of catheter or angiocath.

11. Secure IV tubing after physician has sutured

Index: 8620.902a 2 of 2 Page:

Reviewed Date: April 15, 2005

catheter in place.

- 12. Set pump for IV rate.
- 13. Place clear dressing over insertion site.
- 14. Tape extremity to armboard.

DOCUMENTATION:

- 15. Document location and size of catheter.
- 16. Document how patient tolerated procedure.
- 17. Label tubing, bag and site per IV Therapy protocol.

DISCONTINUATION OF PEDIATRIC CUTDOWN

EQUIPMENT LIST:

- 1. Gloves
- 2. Suture Removal Set
- 3. Sterile dressing
- 4. Betadine solution
- 1. Close clamp on tubing.
- 2. Remove Kerlex or Kling, armboard and dressing.
- 3. Open suture removal set for MD.

MD will remove cutdown catheter.

- 4. Place sterile 2x2 over area and apply pressure until bleeding is controlled.
- 5. Apply sterile dressing.
- 6. Discard tubing in regular trash.

Discard IV bag in biohazard waste.

7. Place contaminated instruments in Bio-Hazard plastic bag and close securely for Central Supply.

DOCUMENTATION:

- 8. Document time and date cutdown was discontinued and if any solution was left in the bag.
- 9. Document skin condition of the vein cutdown
- 10. Document name of physician who discontinued vein cutdown.

Wong's Clinical Manual of Pediatric Nursing, 6th Edition References: