Section:	Division of Nursing	**********	Index:	7030.013a
		PROCEDURE	Page:	1 of 1
Approval:		*******	Issue Date:	June 22, 1998
			Revised Date:	December 14, 2004

HACKETTSTOWN COMMUNITY HOSPITAL

Originator: E. Sweeney, RN, CPAN Revised by: T. Fitzgerald, BSN, RN

(Scope)

TITLE: CARE OF THE LATEX SENSITIVE/ALLERGIC PATIENT IN PACU

PURPOSE: To create a latex safe environment for the latex sensitive/allergic patient in PACU.

SUPPORTIVE DATA:

- Patient with known latex sensitivity will be identified prior to admission. The PAT nurse notifies Pharmacy, OR. SDS, Central Supply and Nursing Service.
- 2. The OR Secretary notes latex sensitivity of patient on OR schedule.
- 3. Refer to Generic Allergy Protocol (8620.173b) in the Department of Nursing Standards Manual Process Section).

CONTENT: PROCEDURE STEPS: KEY POINTS:

- Upon patient's arrival to PACU, attach all monitors as per PACU protocol.
 - a. Pulse oximeter (OHMEDA) is latex free.
 - Stockingnet should already be on arm used for BP.
 - c. Nasal canulas are latex free.
 - Stethoscope is to be covered with stockingnet secured with allergy-free tape.
 - e. Latex free gloves and tourniquet must be used.
 - For IV and IM medication administration, remove latex stoppers with decapper and withdraw medication directly.
 - g. Latex allergy cart accompanies patient to PACU.
 - h. Patient should have appropriate arm band and "STOP" latex allergy sign on foot of stretcher.
- Reinforce latex allergy to nurse receiving patient.

DOCUMENTATION Record adherence to Latex Allergy Protocol in Nurses Notes.

Reference: Peri Anesthesia Nursing Care Curriculum, Preoperative
Phase I and Phase II PACU Nursing: (Saunders)

2004, Quinn, Donna and Schick, Lois p 102-103